# NG 24 (GROUP B)

## PART I — ENGINEERING MATHEMATICS

(Common to all Candidates)

(Answer ALL questions)

- 1. If A is a  $3\times3$  matrix and determinant of A is 6, then find the value of the determinant of the matrix  $(2A)^{-1}$ 
  - a.  $\frac{1}{12}$
  - b.  $\frac{1}{24}$
  - c.  $\frac{1}{36}$
  - d.  $\frac{1}{48}$
- 2. If 3x+2y+z=0, x+4y+z=0, 2x+y+4z=0, be a system of equations, then
  - a. it is inconsistent
  - b. it has only the trivial solution x = 0, y = 0, z = 0
  - c. it can be reduced to a single equation and so a solution does not exist
  - d. the determinant of the matrix of coefficients is zero
- 3. Let  $M = \begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix}$ . The maximum number of

linearly independent eigen vectors of M is

- a. 0
- b. 1
- c. 2
- d. 3

- 4. The shortest and longest distance from the point (1, 2, -1) to the sphere  $x^2 + y^2 + z^2 = 24$  is
  - a.  $(\sqrt{14}, \sqrt{46})$
  - b. (14, 46)
  - c.  $(\sqrt{24}, \sqrt{56})$
  - d. (24, 56)
- 5. The solution of the given ordinary differential

equation 
$$x \frac{d^2y}{dx^2} + \frac{dy}{dx} = 0$$
 is

- a.  $y = A \log x + B$
- b.  $y = Ae^{\log x} + Bx + C$
- c.  $y = Ae^x + B\log x + C$
- $d. y = Ae^x + Bx^2 + C$
- 6. The complete integral of the partial differential equation  $pz^2 \sin^2 x + qz^2 \cos^2 y = 1$ 
  - is
  - a.  $z = 3a \cot x + (1-a) \tan y + b$
  - b.  $z^2 = 3a^2 \cot x + 3(1+a)\tan y + b$
  - c.  $z^3 = -3a \cot x + 3(1-a) \tan y + b$
  - d.  $z^4 = 2a^2 \cot x + (1+a)(1-a)\tan y + b$

- 7. The area between the parabolas  $y^2 = 4 x$ and  $y^2 = x$  is given by
  - a.  $\frac{3\sqrt{2}}{16}$
  - b.  $\frac{16\sqrt{3}}{5}$
  - c.  $\frac{5\sqrt{3}}{16}$
  - d.  $\frac{16\sqrt{2}}{3}$
- 8. The value of the integral  $\iint_{0}^{a} \iint_{0}^{c} e^{x+y+z} dz dy dx$ 
  - is
  - a.  $e^{a+b+c}$
  - b.  $e^a + e^b + e^c$
  - c.  $(e^a 1)(e^b 1)(e^c 1)$
  - d.  $e^{abc}$
- 9. If  $\nabla \phi = 2xyz^3 \overrightarrow{i} + x^2z^3 \overrightarrow{j} + 3x^2yz^2 \overrightarrow{k}$ , then  $\phi(x, y, z) =$ 
  - a.  $\phi = xyz^2 + c$
  - $b. \qquad \phi = x^3 y z^2 + c$
  - $c. \qquad \phi = x^2 y z^3 + c$
  - $d. \qquad \phi = x^3 yz + c$

- 10. The only function from the following that is analytic is
  - a. F(z) = Re(z)
  - b.  $F(z) = \operatorname{Im}(z)$
  - c. F(z) = z
  - d.  $F(z) = \sin z$
- 11. The value of m so that  $2x x^2 + my^2$  may be harmonic is
  - a. 0
  - b. 1
  - c. 2
  - d. 3
- 12. The value of  $\int_C \frac{1}{z} dz$ , where C is the circle

$$z = e^{i\theta}$$
,  $0 \le \theta \le \pi$  is,

- а. *π*і
- b.  $-\pi i$
- c.  $2\pi i$
- d. 0
- 13. The Region of convergence of the signal  $x(n) = \delta(n-k), k > 0$  is
  - a.  $z = \infty$
  - b. z = 0
  - c. Entire z-plane, except at z = 0
  - d. Entire z-plane, except at  $z = \infty$

- 14. The Laplace transform of a signal X(t) is  $\frac{4s+1}{s^2+6s+3} \,.$  The initial value X(0) is
  - a. 0
  - b. 4
  - c. 1/6
  - d. 4/3
- 15. Given the inverse Fourier transform of

$$f(s) = \begin{cases} a - |s|, & |s| \le a \\ 0, & |s| > a \end{cases} \text{ is } \frac{a^2}{2\pi} \left[ \frac{\sin \frac{ax}{2}}{\frac{ax}{2}} \right]^2. \text{ The}$$

value of 
$$\int_{0}^{\infty} \left[ \frac{\sin x}{2} \right]^{2} dx$$
 is

- a.  $\pi$
- b.  $\frac{2\pi}{3}$
- c.  $\frac{\pi}{2}$
- d.  $\frac{\pi}{4}$
- 16. If  $A = [a_{ij}]$  is the coefficient matrix for a system of algebraic equations, then a sufficient condition for convergence of Gauss-Seidel iteration method is
  - a. A is strictly diagonally dominant
  - b.  $|a_{ii}|=1$
  - c.  $\det(A) \neq 0$
  - d.  $\det(A) > 0$

- 17. Which of the following formula is used to fit a polynomial for interpolation with equally spaced data?
  - a. Newton's divided difference interpolation formula
  - b. Lagrange's interpolation formula
  - c. Newton's forward interpolation formula
  - d. Least- square formula
- 18. For applying Simpson's  $\frac{1}{3}$  rule, the given interval must be divided into how many number of sub-intervals?
  - a. odd
  - b. two
  - c. even
  - d. three
- 19. A discrete random variable X has the probability mass function given by p(x) = cx, x = 1, 2, 3, 4, 5. The value of the constant c is
  - a. 1/5
  - b. 1/10
  - c. 1/15
  - d. 1/20
- 20. For a Binomial distribution with mean 4 and variance 2, the value of 'n' is
  - a. 2
  - b. 4
  - c. 6
  - d. 8

#### PART II — BASIC ENGINEERING AND SCIENCES

(Common to all candidates)

(Answer ALL questions)

- 21. Speed of the processor chip is measured in
  - a. Mbps
  - b. GHz
  - c. Bits per second
  - d. Bytes per second
- 22. A program that converts Source Code into machine code is called
  - a. Assembler
  - b. Loader
  - c. Compiler
  - d. Converter
- 23. What is the full form of URL?
  - a. Uniform Resource Locator
  - b. Unicode Random Locator
  - c. Unified Real Locator
  - d. Uniform Read Locator
- 24. Which of the following can adsorb larger volume of hydrogen gas?
  - a. Finely divided platinum
  - b. Colloidal solution of palladium
  - c. Small pieces of palladium
  - d. A single metal surface of platinum
- 25. What are the factors that determine an effective collision?
  - Collision frequency, threshold energy and proper orientation
  - b. Translational collision and energy of activation
  - c. Proper orientation and steric bulk of the molecule
  - d. Threshold energy and proper orientation

- 26. Which one of the following flows in the internal circuit of a galvanic cell?
  - a. atoms
  - b. electrons
  - c. electricity
  - d. ions
- 27. Which one of the following is not a primary fuel?
  - a. petroleum
  - b. natural gas
  - c. kerosene
  - d. coal
- 28. Which of the following molecules will not display an infrared spectrum?
  - a.  $CO_2$
  - b. N<sub>2</sub>
  - c. Benzene
  - d. HCCH
- 29. Which one of the following behaves like an intrinsic semiconductor, at the absolute zero temperature?
  - a. Superconductor
  - b. Insulator
  - c. n-type semiconductor
  - d. p-type semiconductor
- 30. The energy gap (eV) at 300K of the material GaAs is
  - a. 0.36
  - b. 0.85
  - c. 1.20
  - d. 1.42

- 31. Which of the following ceramic materials will be used for spark plug insulator?
  - a.  $SnO_2$
  - b.  $\alpha$  -Al<sub>2</sub>O<sub>3</sub>
  - c. TiN
  - d. YBaCuO<sub>7</sub>
- 32. In unconventional super-conductivity, the pairing interaction is
  - a. non-phononic
  - b. phononic
  - c. photonic
  - d. non-excitonic
- 33. What is the magnetic susceptibility of an ideal super conductor?
  - a. 1
  - b. -1
  - c. 0
  - d. infinite
- 34. The Rayleigh scattering loss, which varies as \_\_\_\_\_ in a silica fiber.
  - a.  $\lambda^0$
  - b.  $\lambda^{-2}$
  - c.  $\lambda^{-4}$
  - d.  $\lambda^{-6}$
- 35. What is the near field length N that can be calculated from the relation (if D is the diameter of the transducer and  $\lambda$  is the wavelength of sound in the material)?
  - a.  $D^2 / 2\lambda$
  - b.  $D^2/4\lambda$
  - c.  $2D^2/\lambda$
  - d.  $4D^2/\lambda$

- 36. Which one of the following represents open thermodynamic system?
  - a. Manual ice cream freezer
  - b. Centrifugal pump
  - c. Pressure cooker
  - d. Bomb calorimeter
- 37. In a new temperature scale say  ${}^{\circ}\rho$ , the boiling and freezing points of water at one atmosphere are 100°  $\rho$  and 300°  $\rho$  respectively. Correlate this scale with the Centigrade scale. The reading of 0°  $\rho$  on the Centigrade scale is:
  - a. 0°C
  - b. 50°C
  - c. 100°C
  - d. 150°C
- 38. Which of the cross-section of the beam subjected to bending moment is more economical?
  - a. Rectangular cross-section
  - b. I cross-section
  - c. Circular cross-section
  - d. Triangular cross-section
- 39. The velocity of a particle is given by  $V = 4t^3 5t^2$ . When does the acceleration of the particle becomes zero?
  - a. 8.33 s
  - b. 0.833 s
  - c. 0.0833 s
  - d. 1 s
- 40. What will happen if the frequency of power supply in a pure capacitor is doubled?
  - a. The current will also be doubled
  - b. The current will reduce to half
  - c. The current will remain the same
  - d. The current will increase to four-fold

#### **PART III**

### 06 - AUTOMOBILE ENGINEERING

(Answer ALL questions)

- 41. The resultant of two forces P and Q (such that P > Q) acting along the same straight line, but in opposite direction, is given by
  - a. P+Q
  - b. P-Q
  - c. P/Q
  - d. Q/P
- 42. Mass moment of inertia of a tin rod about its one end is the mass moment of inertia of the same rod about its mid-point.
  - a. Same as
  - b. Twice
  - c. Thrice
  - d. Four times
- 43. The ratio of static friction to dynamic friction is always
  - a. Equal to one
  - b. Less than one
  - c. Greater than one
  - d. Zero
- 44. Which one of the following is an open pair?
  - a. Ball and socket joint
  - b. Journal bearing
  - c. Lead screw and nut
  - d. Cam and follower
- 45. The train value of a gear trains is.
  - a. Equal to velocity ratio of the gear train
  - b. Reciprocal of velocity ratio of the gear train
  - c. Always greater than unity
  - d. Always less than unity
- 46. A porter governor is a governor.
  - a. Pendulum type
  - b. Dead weight
  - c. Spring loaded
  - d. Inertia

- 47. Consider the following statements about theory of simple bending
  - (i) Beam material is isotropic and homogenous
  - (ii) Elastic modulus of beam material is more in tension than in compression
  - (iii) Radius of curvature is large

Of these statements,

- a. (i) and (ii) are true
- b. (i) and (iii) are true
- c. (ii) and (iii) are true
- d. (i), (ii), (iii) are true
- 48. If the diameter of a shaft is subjected to torque alone is doubled, then the horse power can be increased to
  - a. 2P
  - b. 4P
  - c. 8P
  - d. 16P
- 49. A higher value of flexural rigidity indicates
  - a. Lower stiffness and lower deflection
  - b. Lower stiffness and higher deflection
  - c. Higher stiffness and lower deflection
  - d. Higher stiffness and higher deflection
- 50. Match list I with list II and select the correct answer using the code given

List I

List II (Description)

- 1. Parallel shaft with slight i. Universal joint offset
- 2. Parallel shaft at a reasonable distance
- ii. Worm and worm wheel
- 3. Perpendicular shaft
- iii. Oldham coupling
- 4. Intersecting shaft
- iv. Belt and pulley
- a. 1 iv, 2 iii, 3 ii, 4 i
- b. 1 iv, 2 iii, 3 i, 4 ii
- c. 1 iii, 2 iv, 3 i, 4 ii
- d. 1 iii, 2 iv, 3 ii, 4 i

51. Match list I with list II and select the correct answer using the code given

List I

List II (Description)

- Spur gear
- i. Helical tooth
- 2. Bevel gear
- ii. Two sets of helical tooth of opposite pair
- Herringbone iii. Straight tooth on taper surface
  - gear
  - Helical gear iv. Straight parallel teeth on cylinder surface
  - 1 iv, 2 iii, 3 ii, 4 ia.
  - b. 1 - iv, 2 - iii, 3 - i, 4 - ii
  - 1 iii, 2 iv, 3 ii, 4 ic.
  - 1 iii, 2 iv, 3 i, 4 iid.
- 52. In the case of a flywheel, the maximum fluctuation of energy is the
  - Sum of the maximum and minimum energies
  - b. Difference between the maximum and minimum energies
  - Variations of energy above the mean c. resisting torque line
  - Variations of energy below the mean d. resisting torque line
- 53. Consider the following statements:
  - i. Volume, temperature and pressure are macroscopic quantities
  - ii. Intensive properties are independent of mass
  - iii. Extensive properties are related to mass
  - iv. Volume and temperature are intensive properties

#### Of these statements

- i alone is true a.
- b. ii and iii are true
- ii, iii and iv are true c.
- i, ii, iii and iv are true d.
- 54. The ideal vapour power cycle is
  - a. Diesel cycle
  - b. Otto cycle
  - Rankine cycle c.
  - d. Brayton cycle

- For the same maximum pressure and 55. temperature, what is the order of efficiency of Otto, Diesel and Dual cycle?
  - $\eta_{otto} \! > \! \eta_{diesel} \! > \! \eta_{dual}$
  - b.  $\eta_{otto} \!>\! \eta_{dual} \!>\! \eta_{diesel}$
  - c.  $\eta_{dual} > \eta_{otto} > \eta_{diesel}$
  - $\eta_{diesel} > \eta_{dual} > \eta_{otto}$ d.
- 56. Consider the following statements:
  - i. Heat can flow of itself from lower temperature body to higher temperature body
  - ii. A heat pump maintains a body at a temperature higher than the temperature of the surroundings
  - The COP of a heat pump is greater iii. than the COP of a refrigerator by unity
  - The COP of a refrigerator using heat iv. addition(Q1) and heat rejection(Q2) is expressed as

$$\frac{Q_1}{Q_1 - Q_2}$$

- i and ii are true a.
- b. i and iv are true
- ii and iii are true c.
- ii, iii and iv are true d.
- Which of the following methods requires 57. medium for heat transfer?
  - Conduction a.
  - b. Convection
  - Radiation c.
  - Conduction and convection d.
- 58. "The emissive power of a black body varies linearly to the fourth power of its absolute temperature" This statement is called
  - Fourier's law a.
  - Stefan-Boltzmann law b.
  - c. Kirchhoff's law
  - Wein's displacement law d.

59. Match list I with list II and select the correct answer using the code given

List I (Casting Process)

List II (Description)

- 1. Investment casting
- (i) Rotating method
- 2. Cold chamber die casting
- (ii) Low melting point metals
- 3. Centrifugal casting
- (iii) Wax pattern
- 4. Hot chamber die casting
- (iv) High melting point metals
- a. 1 iii, 2 ii, 3 i, 4 iv
- b. 1 iii, 2 iv, 3 i, 4 ii
- c. 1 i, 2 iv, 3 iii, 4 ii
- d. 1 i, 2 ii, 3 iii, 4 iv
- 60. Nose radius is expressed in
  - a. Degree
  - b. Radian
  - c. Millimetre
  - d. Meter
- 61. In which of the following welding methods Heat affected zone is minimum?
  - a. LASER welding
  - b. Gas welding
  - c. Arc welding
  - d. Thermit welding
- 62. Consider the following statements about non-conventional machining processes.
  - Hard materials can be easily machined without being damaged
  - ii. Complex shapes are easily produced
  - iii. They have low specific energy consumption
  - iv. Tools need not be harder than work piece

Of these statements

- a. i, ii and iii only
- b. i, ii and iv only
- c. i, iii and iv only
- d. ii, iii and iv only

63. Match list I with list II and select the correct answer using the code given

List I List II (Description)

- 1. Quick return mechanism i. Lathe
- 2. Apron mechanism
- ii. Milling machine
- 3. Indexing mechanism
- iii. Shaper
- 4. Regulating wheel
- iv. Centerless grinding
- a. 1 iii, 2 ii, 3 i, 4 iv
- b. 1 ii, 2 iii, 3 iv, 4 i
- c. 1 iv, 2 ii, 3 iii, 4 i
- d. 1 iii, 2 i, 3 ii, 4 iv
- 64. Match list I with list II and select the correct answer using the code given

List I List II (Description)

- 1. Interpolation i. Tape preparation
- 2. Parity check ii. Canned cycle
- 3. Preparatory iii. Drilling function
- 4. Point to point iv. Contouring control
  - a. 1 iii, 2 ii, 3 i, 4 iv
  - b. 1 ii, 2 iii, 3 iv, 4 i
  - c. 1 iv, 2 i, 3 ii, 4 iii
  - d. 1 iii, 2 i, 3 ii, 4 iv
- 65. What is the angle between the steering axis and the vertical when viewed from side of the vehicle?
  - a. Camber
  - b. Castor
  - c. Steering axis inclination
  - d. Kingpin inclination
- 66. The following diverts the power at right angles towards the driving wheels
  - a. Torque tube
  - b. Transfer case
  - c. Final drive
  - d. Gear box

- 67. Transfer case is used in a
  - a. Front engine front wheel drive
  - b. Rear engine rear wheel drive
  - c. All wheel drive
  - d. Front engine rear wheel drive
- 68. Wheel alignment servicing equipment is used to measure
  - a. tire wear and tear
  - b. brake pad and rotor angles wear
  - c. steering and suspension alignment angles
  - d. wear in the joints and bushings
- 69. Which type of rear axle is used in heavy vehicles?
  - a. Semi-floating
  - b. Three quarter floating
  - c. Full floating
  - d. Stub axle
- 70. In a modern final drive, the type of gearing used for the drive pinion and ring gear is
  - a. Spur
  - b. Spiral bevel
  - c. Hypoid
  - d. Helical
- 71. What is the maximum power transmitted by a single plate clutch at speed of 3600 rev/min if the coefficient of friction is 0.4 and the linings have a radius of 160mm inner and 190mm outer? The total spring force is 2.5 kN.
  - a. 132Kw
  - b. 139Kw
  - c. 152Kw
  - d. 160Kw
- 72. What is gear ratio of second year if Gear ratio of first and third gears are 4 and 1.55?
  - a. 2.5
  - b. 2.1
  - c. 3
  - d. 3.5

- 73. In a fluid coupling, power is transferred due to
  - a. Change in pressure of the circulating fluid
  - b. Change of mechanical energy to fluid energy
  - c. Change in kinetic energy of the circulating fluid
  - d. Conversion of fluid energy to mechanical energy
- 74. Janney transmission is working as per ————— principle
  - a. Hydrodynamic
  - b. Hydrostatic
  - c. Centrifugal
  - d. None of the above
- 75. The vehicle having a passenger cabin with two rows of seats and integrated cargo space, accessed from behind by a single tail gate is
  - a. Saloon
  - b. Limousine
  - c. Estate car
  - d. Coupe
- 76. As per AIS 052, School Bus are come under the TYPE
  - a. I
  - b. II
  - c. III
  - d. IV
- - a. Roof camber
  - b. Wind screen angle
  - c. Bonnet angle
  - d. Diffuser angle

- 78. In a wind tunnel, the honeycomb has a longer length that reduces the ————— velocity components of the flow with minimal pressure drop in the stream wise direction.
  - a. longitudinal
  - b. axial
  - c. traverse
  - d. lengthwise
- 79. When there is a reduction in amplitude over every cycle of vibration, then the body is said to have
  - a. free vibration
  - b. forced vibration
  - c. damped vibration
  - d. logarithmic decrement
- 80. Outer part of the tyre that extends from the bead to the tread is
  - a. Plies
  - b. Chords
  - c. Sidewall
  - d. Liner
- 81. The rolling resistance does not depend upon
  - a. Velocity of the vehicle
  - b. Density of air
  - c. Construction of tyre
  - d. Mass of the vehicle
- 82. Which of the following is the longitudinal framing of the roof at the joining?
  - a. Cant panel
  - b. Cant rail
  - c. Cowl panel
  - d. Drip rail
- 83. The negative plates of a lead acid battery have
  - a. Lead peroxide (PbO<sub>2</sub>)
  - b. Spongy lead (Pb)
  - c. Lead sulphate (PbSO<sub>4</sub>)
  - d. Lead Hydrate (PbH)

- 84. Why slip rings in an alternator are necessary?
  - a. They permit the stator to rotate
  - b. They provide a high resistance connection to the stator windings
  - c. They prevent a delta from forming.
  - d. They permit current to flow through a rotating component called the rotor
- 85. Which of the following is not a component of a starter motor?
  - a. Armature
  - b. Battery
  - c. Commuter
  - d. Field windings
- 86. Which of the following sensors is usually installed in the exhaust manifold?
  - a. Crank position
  - b. LAMDA
  - c. Wheel speed
  - d. Cam position
- 87. Increasing a proportional gain will:
  - a. increase the overshoot, decrease the steady state error
  - b. decrease the overshoot, increase the steady state error
  - c. increase the overshoot, increase the steady state error
  - d. decrease the overshoot, decrease the steady state error
- 88. Which of the following is measured by Linear Variable Differential Transformer (LVDT)?
  - a. Crank angle
  - b. Engine speed
  - c. Displacement
  - d. Gas Temperature
- 89. Adblue is
  - a. 32.5 % Urea and water
  - b. 37.5 % Urea and water
  - c. 40 % Urea and water
  - d. 88 % Urea and water

90.	measured in		95.	The	e self-ignition Temperature of Methanol is
				a.	Lower than Gasoline
	a.	Mg/ms		b.	Higher than Gasoline
		_		c.	Lower than diesel
	b.	g/km-s		d.	Lower than Ethanol
	c.	g/km			
	d.	g/kW-h	96.	The	e presence of oxygen in vegetable oils
				a.	Increases the energy content of the fuel
91.	Pict	on crevice volume is one of the reasons for		b.	Forms Gum in engine components
				c.	Increases the cetane rating of the fuel
		emission		d.	Reduces the viscosity of the fuel
	a.	Unburned hydrocarbon			
	b.	Carbon mono oxide	97.	1	
	c.	Oxides of nitrogen		abo	
	d.	Particulate matter		a. L	100°C 200°C
				b. с.	300°C
				d.	400°C
92.	Which of the following is not a stage of				
	combustion in SI engine		0.0	тт -	1 1 4 1 1 1 1 1 1 1
	a.	Ignition lag	98.		drogen Induction in diesel engine will  Decrease the Thermal Efficiency
	b.	Flame propagation		a. b.	Reduce the Power output
	c.	After burning		c.	Increase the ignition Delay
		_		d.	Increase the combustion Duration
	d.	Stratified combustion			
			99.	Hydrogen combustion with air at	
93.	Which of the following materials is used in			stoc	chiometric condition results in
	Engine noise control?			a.	Reduced HC, CO and NOx emissions
	a.	Aluminum		b.	Reduced HC and CO with increased NOx emissions
	b.	Austempered ductile iron		c.	Reduced HC with increased CO and
	c.	Magnesium		••	NOx emissions
	d.	Lead oxide		d.	Reduced CO with increased HC and
		2000 0.1100			NOx emissions
94.	Blue smoke is caused by		100	Rios	gas is
	a. Lubricant oil		100.	a.	Heavier than Air
				b.	Lighter than Air
	b.	High load conditions		c.	Equal in weight of Air
	c.	Lean mixture		d.	Lighter than Hydrogen
	d.	Worn out piston rings			
				_	