

CAT 2023 Quantitative Aptitude Question Paper (Slot 3)

Question 1. For a real number x , if $\frac{1}{2}$, $\log_4\left(\frac{x^2-9}{x}\right)$, and $\log_4\left(\frac{x^2+17}{x}\right)$ are in an arithmetic progression, then the common difference is:

- (1) $\log_4\left(\frac{3}{2}\right)$
- (2) $\log_4\left(\frac{23}{2}\right)$
- (3) $\log_4\left(\frac{7}{2}\right)$
- (4) $\log_4 7$

Question 2. Let n and m be two positive integers such that there are exactly 41 integers greater than 8^n and less than 8^m , which can be expressed as powers of 2. Then, the smallest possible value of $n + m$ is:

- (1) 44
- (2) 14
- (3) 16
- (4) 42

Question 3. For some real numbers a and b , the system of equations $x + y = 4$ and $(a + 5)x + (b^2 - 15)y = 8b$ has infinitely many solutions for x and y . Then, the maximum possible value of ab is:

- (1) 33
- (2) 55
- (3) 15
- (4) 25

Question 4. If x is a positive real number such that $x^8 + \left(\frac{1}{x}\right)^8 = 47$, then the value of $x^9 + \left(\frac{1}{x}\right)^9$ is:

- (1) $34\sqrt{5}$
- (2) $40\sqrt{5}$
- (3) $30\sqrt{5}$

(4) $36\sqrt{5}$

Question 5. A quadratic equation $x^2 + bx + c = 0$ has two real roots. If the difference between the reciprocals of the roots is $\frac{1}{3}$, and the sum of the reciprocals of the squares of the roots is $\frac{5}{9}$, then the largest possible value of $b + c$ is

Question 6 Let n be any natural number such that $5^{n-1} < 3^{n+1}$. Then, the least integer value of m that satisfies $3^{n+1} < 2^{n+m}$ for each such n , is

Question.7 The sum of the first two natural numbers, each having 15 factors (including 1 and the number itself), is

Question 8. A merchant purchases a cloth at a rate of Rs.100 per meter and receives 5 cm length of cloth free for every 100 cm length of cloth purchased by him. He sells the same cloth at a rate of Rs.110 per meter but cheats his customers by giving 95 cm length of cloth for every 100 cm length of cloth purchased by the customers. If the merchant provides a 5% discount, the resulting profit earned by him is:

1. 9.7%
2. 15.5%
3. 4.2%
4. 16%

Question 9. A boat takes 2 hours to travel downstream a river from port A to port B, and 3 hours to return to port A. Another boat takes a total of 6 hours to travel from port B to port A and return to port B. If the speeds of the boats and the river are constant, then the time, in hours, taken by the slower boat to travel from port A to port B is:

- (1) $3(3 + \sqrt{5})$
- (2) $3(3 - \sqrt{5})$

(3) $3(\sqrt{5} - 1)$

(4) $12(\sqrt{5} - 2)$

Question 10. There are three persons A, B and C in a room. If a person D joins the room, the average weight of the persons in the room reduces by x kg. Instead of D, if person E joins the room, the average weight of the persons in the room increases by $2x$ kg. If the weight of E is 12 kg more than that of D, then the value of x is:

(1) 2

(2) 1

(3) 1.5

(4) 0.5

Question 11. The population of a town in 2020 was 100,000. The population decreased by $y\%$ from the year 2020 to 2021, and increased by $x\%$ from the year 2021 to 2022, where x and y are two natural numbers. If the population in 2022 was greater than the population in 2020 and the difference between x and y is 10, then the lowest possible population of the town in 2021 was:

(1) 73,000

(2) 75,000

(3) 74,000

(4) 72,000

Question 12. Anil mixes cocoa with sugar in the ratio 3 : 2 to prepare mixture A, and coffee with sugar in the ratio 7 : 3 to prepare mixture B. He combines mixtures A and B in the ratio 2 : 3 to make a new mixture C. If he mixes C with an equal amount of milk to make a drink, then the percentage of sugar in this drink will be:

(1) 24

(2) 16

(3) 17

(4) 21

Question 13. Rahul, Rakshita, and Gurmeet, working together, would have taken more than 7 days to finish a job. On the other hand, Rahul and Gurmeet, working together would have taken less than 15 days to finish the job. However, they all worked together for 6 days, followed by Rakshita, who worked alone for 3 more days to finish the job. If Rakshita had worked alone on the job, then the number of days she would have taken to finish the job cannot be:

- (1) 20
- (2) 21
- (3) 16
- (4) 17

Question 14. The number of coins collected per week by two coin-collectors A and B are in the ratio 3 : 4. If the total number of coins collected by A in 5 weeks is a multiple of 7, and the total number of coins collected by B in 3 weeks is a multiple of 24, then the minimum possible number of coins collected by A in one week is:

Question 15. Gautam and Suhani, working together, can finish a job in 20 days. If Gautam does only 60% of his usual work on a day, Suhani must do 150% of her usual work on that day to exactly make up for it. Then, the number of days required by the faster worker to complete the job working alone is:

Question 16. A fruit seller has a stock of mangoes, bananas, and apples with at least one fruit of each type. At the beginning of the day, the number of mangoes makes up 40% of his stock. That day, he sells half of the mangoes, 96 bananas, and 40% of the apples. At the end of the day, he ends up selling 50% of the fruits. The smallest possible total number of fruits in the stock at the beginning of the day is:

Question 17. Let $AABC$ be an isosceles triangle such that AB and AC are of equal length. AD is the altitude from A on BC and BE is the altitude from B on AC . If AD and BE intersect at O such that $\angle AOB = 105^\circ$, then AD equals:

- (1) $2 \cos 15^\circ$
- (2) $\sin 15^\circ$
- (3) $2 \sin 15^\circ$
- (4) $\cos 15^\circ$

Question 18. A rectangle with the largest possible area is drawn inside a semicircle of radius 2 cm. Then, the ratio of the lengths of the largest to the smallest side of this rectangle is:

- (1) 1 : 1
- (2) 2 : 1
- (3) $\sqrt{5} : 1$
- (4) $\sqrt{2} : 1$

Question 19. In a regular polygon, any interior angle exceeds the exterior angle by 120 degrees. Then, the number of diagonals of this polygon is:

Question 20. The value of $1 + \left(1 + \frac{1}{3}\right) \frac{1}{4} + \left(1 + \frac{1}{3} + \frac{1}{9}\right) \frac{1}{16} + \left(1 + \frac{1}{3} + \frac{1}{9} + \frac{1}{27}\right) \frac{1}{64} + \dots$, is :

- (1) $\frac{15}{8}$
- (2) $\frac{15}{13}$
- (3) $\frac{16}{11}$
- (4) $\frac{27}{12}$

Question 21. Let $a_n = 46 + 8n$ and $b_n = 98 + 4n$ be two sequences for natural numbers $n \leq 100$. Then, the sum of all terms common to both the sequences is:

- (1) 14602
- (2) 14798
- (3) 15000

(4) 14900

Question 22. Suppose $f(x, y)$ is a real-valued function such that $f(3x + 2y, 2x - 5y) = 19x$ for all real numbers x and y . The value of x for which $f(x, 2x) = 27$ is:

CAT 2023 Answer Key

QA- Slot 3

Question	Answer
1	Option- 3
2	Option- 3
3	Option- 1
4	Option- 1
5	Answer- 9
6	Answer- 5
7	Answer- 468
8	Option- 2
9	Option- 2
10	Option- 2
11	Option- 1
12	Option- 3
13	Option- 2
14	Answer- 42
15	Answer- 36
16	Answer- 340
17	Option- 1

18	Option- 2
19	Answer- 54
20	Option- 3
21	Option- 4
22	Answer- 3