Section A: Q.1 – Q.10 Carry ONE mark each.

- Q.1 Which one of the following is a simple tissue system in plants?
 - (A) Epidermis
 - (B) Parenchyma
 - (C) Phloem
 - (D) Xylem

- Q.2 In DNA replication, the Okazaki fragments are joined by
 - (A) DNA helicase
 - (B) DNA ligase
 - (C) DNA polymerase
 - (D) DNA primase



- Q.3 The most abundant type of RNA in a metabolically active mammalian cell is
 - (A) mRNA
 - (B) rRNA
 - (C) snoRNA
 - (D) tRNA

- Q.4 Which organelle in a eukaryotic cell is the site of electron transport chain?
 - (A) Endoplasmic reticulum
 - (B) Golgi apparatus
 - (C) Mitochondrion
 - (D) Peroxisome



Q.5 RNA is a polymer of

- (A) glycosides
- (B) ribonucleosides
- (C) ribonucleotides
- (D) riboses

Q.6 Which one of the following is present in a bacterial cell?

- (A) 28S rRNA
- (B) 70S ribosome
- (C) Chitinous cell wall
- (D) Histones



- Q.7 Which color of light excites a natural GFP to emit green fluorescence?
 - (A) Blue
 - (B) Green
 - (C) Infrared
 - (D) Red

Q.8 Which one of the following hormones promotes fruit ripening?

- (A) Abscisic acid
- (B) Auxin
- (C) Ethylene
- (D) Gibberellin



Q.9 Which one of the following has a catalytic RNA?

- (A) Ribonuclease H
- (B) Ribozyme
- (C) RNA polymerase I
- (D) RNA polymerase II

Q.10 The number of significant figures in a reported measurement of 0.00361 is





Section A: Q.11 – Q.30 Carry TWO marks each.

Q.11 Match the terminology in **Group I** with the stimulus in **Group II** that generates growth response of plants

Group I	Group II
P. Gravitropism	1. Light
Q. Phototropism	2. Touch
R. Thigmotropism	3. Chemical
S. Chemotropism	4. Gravity
(A) $P-3, Q-4, R-2, S-1$	

- (B) P-2, Q-1, R-3, S-4
- (C) P-4, Q-1, R-2, S-3
- (D) P-4, Q-2, R-1, S-3



Q.12 The correct hierarchy of taxa in the Linnaean classification of eukaryotes is

- (A) kingdom, class, phylum, order, family, genus
- (B) kingdom, order, class, phylum, family, genus
- (C) kingdom, phylum, order, family, class, genus
- (D) kingdom, phylum, class, order, family, genus

Q.13 Which one of the following statements about polyploidy is correct?

- (A) Autopolyploids are derived from a single species
- (B) Autopolyploids are derived from two different species
- (C) Allopolyploids are derived from a single species
- (D) Allopolyploids are not fertile when mated with each other



Q.14 Which one of the following hormones is a tyrosine derivative?

- (A) Epinephrine
- (B) Estradiol
- (C) Progesterone
- (D) Testosterone

Q.15 Which one of the following immunoglobulins crosses the human placenta?

- (A) IgA
- (B) IgE
- (C) IgG
- (D) IgM



Q.16 Determine the correctness or otherwise of the following Assertion [a] and the Reason [r].

Assertion [a]: The resolving power of a transmission electron microscope is higher than that of the light microscope.

Reason [r]: The wavelength of electrons is shorter than that of visible light.

- (A) Both [a] and [r] are true and [r] is the correct reason for [a]
- (B) Both [a] and [r] are true but [r] is not the correct reason for [a]
- (C) Both [a] and [r] are false
- (D) [a] is true but [r] is false



Q.17 Match the morphology in **Group I** with the corresponding microorganism

in Group II

- Group I Group II
- P. Coccus 1. Treponema
- Q. Rod 2. Bacillus
- R. Comma 3. Neisseria
- S. Spiral
- 4. Vibrio

- (A) P-3, Q-2, R-4, S-1
- (B) P-4, Q-1, R-3, S-2
- (C) P-2, Q-4, R-1, S-3
- (D) P-1, Q-2, R-3, S-4



- Q.18 Which one of the following genetic crosses and their results indicates cytoplasmic inheritance?
 - (A) Wild-type male \times mutant female \rightarrow 100% progeny are mutant
 - (B) Wild-type male \times mutant female \rightarrow 25% progeny are wild-type
 - (C) Mutant male \times wild-type female \rightarrow 50% progeny are mutant
 - (D) Mutant male \times wild-type female \rightarrow 75% progeny are wild-type

- Q.19 Which of the following is **NOT** a characteristic morphological feature of apoptotic cells?
 - (A) Disassembly of nuclear envelope
 - (B) DNA fragmentation
 - (C) Increased cell size
 - (D) Membrane blebbing



Q.20 Competition between two populations in an ecosystem is

- (A) beneficial (+) to both the populations
- (B) deleterious (-) to both the populations
- (C) beneficial (+) to one population, but deleterious (-) to the other population
- (D) beneficial (+) to one population, but no effect (0) on the other population

- Q.21 Adenine constitutes 0.16 mole fraction in a given single-stranded DNA. What is the mole fraction of uracil in the resultant RNA, if this entire DNA fragment is transcribed?
 - (A) 0.16
 - (B) 0.32
 - (C) 0.34
 - (D) 0.68



- Q.22 Which one of the following is **NOT** used as a component in subunit vaccines?
 - (A) Capsular polysaccharide
 - (B) Inactivated exotoxin
 - (C) Inactivated virus
 - (D) Viral glycoprotein

- Q.23 Metabolic acidosis is associated with decreased plasma level of
 - (A) bicarbonate
 - (B) lactate
 - (C) oxygen
 - (D) urea



- Q.24 Genes in two species that are derived from the same ancestral gene in their most recent common ancestor are called
 - (A) analogs
 - (B) heterologs
 - (C) orthologs
 - (D) paralogs

- Q.25 An object is placed 15 *cm* in front of a convex mirror, which has a radius of curvature 30 *cm*. Which one of the following is true of the image formed?
 - (A) Real and inverted
 - (B) Real and upright
 - (C) Virtual and inverted
 - (D) Virtual and upright



Q.26 If a variable *z* shows a standard normal distribution, then the percent probability that

```
0 \le z^2 \le 1
```



- Q.27 In chick embryo, the ectoderm generates
 - (A) alveolar cells
 - (B) germ cells
 - (C) neurons
 - (D) red blood cells



- Q.28 The boiling points of Iodomethane, Dibromomethane, Bromomethane, Chloromethane follow the order
 - $(A) \quad Bromomethane > Dibromomethane > Iodomethane > Chloromethane$
 - $(B) \quad Bromomethane > Iodomethane > Chloromethane > Dibromomethane$
 - $(C) \quad Dibromomethane > Iodomethane > Bromomethane > Chloromethane$
 - $(D) \quad Iodomethane > Bromomethane > Chloromethane > Dibromomethane$

- Q.29 Chromosome duplication during the cell cycle occurs in
 - (A) G₁ phase
 - (B) G₂ phase
 - (C) M phase
 - (D) S phase



- Q.30 Ionic character of the covalent bonds in the compounds Cl₂, HCl, NaCl, NaF follows the order
 - $(A) \quad Cl_2 > NaCl > HCl > NaF$
 - $(B) \quad HCl > Cl_2 > NaF > NaCl$
 - $(C) \quad HCl > NaCl > NaF > Cl_2$
 - $(D) \quad NaF > NaCl > HCl > Cl_2$

Section B: Q.31 – Q.40 Carry TWO marks each.

- Q.31 Which of the following is/are lateral meristems?
 - (A) Cork cambium
 - (B) Procambium
 - (C) Protoderm
 - (D) Vascular cambium

- Q.32 Which of the following statement(s) about Golden Rice is/are correct?
 - (A) Consumption of it increases vitamin A levels
 - (B) Consumption of it increases vitamin D levels
 - (C) Consumption of it increases vitamin K levels
 - (D) It is a transgenic crop containing β -carotene



- Q.33 Which of the following statement(s) about eukaryotic DNA topoisomerase is/are correct?
 - (A) Topoisomerase I creates transient single-strand breaks
 - (B) Topoisomerase I creates transient double-strand breaks
 - (C) Topoisomerase II creates transient single-strand breaks
 - (D) Topoisomerase II creates transient double-strand breaks

- Q.34 Which of the following method(s) is/are used to estimate protein concentration?
 - (A) Anthrone
 - (B) Biuret
 - (C) Bradford
 - (D) Lowry



- Q.35 Which of the following is/are example(s) of a lotic ecosystem?
 - (A) Lake
 - (B) Pond
 - (C) River
 - (D) Stream

- Q.36 Which of the following statement(s) about the effect of genetic drift is/are correct?
 - (A) It can cause changes in the frequency of alleles at random
 - (B) It is a mechanism of evolution
 - (C) It can lead to loss of genetic variation within small populations
 - (D) It is significant in large populations



- Q.37 Which of the following technique(s) can be used to determine the threedimensional structure of an organic compound?
 - (A) Mass spectrometry
 - (B) NMR spectroscopy
 - (C) UV-visible spectroscopy
 - (D) X-ray crystallography

- Q.38 Which of the following entity(ies) is/are found inside the intact nucleus of eukaryotic cells?
 - (A) Centrosome
 - (B) Lysosome
 - (C) Nucleolus
 - (D) Nucleosome



Q.39 Which of the following is/are trace element(s)?

- (A) Mn
- (B) P
- (C) S
- (D) Zn

Q.40 Which of the following is/are true about Retrovirus?

- (A) It contains double-stranded RNA genome
- (B) It can cause cancer
- (C) It contains reverse transcriptase
- (D) It contains double-stranded DNA genome



Section C: Q.41 – Q.50 Carry ONE mark each.

Q.41 A wooden plant accumulates $10 \ mg \ kg^{-1}$ of ¹⁴C during its life span. A fossil of this plant was discovered and contains 2.5 $mg \ kg^{-1}$ of ¹⁴C. The age of this fossil at the time of discovery is _____ years (*rounded off to the nearest integer*).

(Use 5730 years as half-life of ¹⁴C)

Q.42 A cylinder contains 50 L of an ideal gas at a pressure of 50 *atm*. Assuming that the temperature remains unchanged, the volume of the gas at 1 *atm* is L (rounded off to the nearest integer).

Q.43 One molecule of the protein myoglobin contains one atom of iron. A myoglobin sample was found to contain 0.34% iron. The molecular weight of myoglobin is $_____ g mol^{-1}$ (rounded off to the nearest integer).

(Use 55.9 $g mol^{-1}$ as atomic mass of iron)



Q.44 The wavelength of visible light for the green color is 600 nm. The energy of photons of this color is ______ eV (rounded off to one decimal place). (Planck's constant = 6.63×10^{-34} Js, $1 eV = 1.6 \times 10^{-19}$ J, speed of light = 3×10^8 ms⁻¹)

Q.45 A ball dropped from a bridge hits the surface of the water in 3 s. The height of the bridge, ignoring air resistance, is _____ m (rounded off to one decimal place).

 $(\text{Use } g = 9.8 \, ms^{-2})$

Q.46 For a given square, if the area of its incircle is $100 \ cm^2$, then the area of its circumcircle is _____ cm^2 (rounded off to the nearest integer).



Q.47 The number of peaks in the ¹H NMR spectrum of methoxymethane (CH_3OCH_3) is _____.

Q.48 The amount of agarose required to prepare 250 mL of 0.8% agarose gel is ______ grams (rounded off to the nearest integer).

Q.49 Three genes x, y, and z are located on a chromosome in a linear order. If the recombination frequencies between x and y is 0.15, and between y and z is 0.10, then the expected frequency of double crossovers is ______ (rounded off to three decimal places).

Q.50 A bacterial cell suspension contains 2×10^5 cells mL^{-1} . The volume of this suspension required to obtain 1.4×10^6 cells is _____ mL (rounded off to the nearest integer).



Section C: Q.51 – Q.60 Carry TWO marks each.

Q.51 The data provided in the table were obtained from the following reaction, carried out at 273 *K*.

$$A+B\to C$$

Initial concentration of $[A]$ mol L^{-1}	Initial concentration of $[B]$ mol L^{-1}	Initial rate of formation of [C] mol $L^{-1}s^{-1}$
0.2	0.2	0.3
0.4	0.2	0.6
0.4	0.4	2.4

The order of the reaction with respect to A is

Q.52 Ammonia is synthesized in the Haber process in the following reaction.

$$N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$$

The temperature above which the reaction becomes spontaneous

is _____ *K* (rounded off to one decimal place).

 $(\Delta H^0 = -92.2 \ kJ, \qquad \Delta S^0 = -199 \ JK^{-1})$



Q.53 In the given molecule,



the number of chiral centers is _____

Q.54 Two resistors 2 Ω and 4 Ω are combined in parallel. If this combination is connected to a battery of 16 *V*, the maximum current that can be drawn from the battery is ______ A (rounded off to the nearest integer).



Q.55 A box of mass 20 kg is pulled at constant speed across a floor by a rope. The rope makes an angle of 45° with the horizontal. Assuming that friction is negligible, the work done in pulling the box by a distance of 20 m is ______ J (rounded off to the nearest integer). (Use $g = 9.8 \text{ ms}^{-2}$)

Q.56 Consider an enzyme that follows simple Michaelis-Menten kinetics, and has a K_M of 5 μ M. The initial velocity of the reaction will be 10% of the maximum velocity at a substrate concentration of _____ μ M (*rounded off to two decimal places*).

Q.57	The value of $\lim_{x \to 3}$	$\frac{x^2-9}{x^2-4x+3}$ is	(rounded off to the nearest integer).



Q.58 A population of 1000 plants are in Hardy-Weinberg equilibrium. Two alleles *R* and *r* determine a particular trait in this population. If the number of plants with *RR* genotype is 640, *Rr* genotype is 320 and *rr* genotype is 40, the frequency of *r* allele (in percentage) in this population is ______ (rounded off to the nearest integer).

Q.59 If a fair coin is tossed two times, the probability that the first or the second toss will be heads is ______ (rounded off to two decimal places).



Q.60 The restriction map of a circular plasmid is shown below, along with the indicated distances between the restriction sites.



The plasmid was completely digested with E*co*RI, and X*ho*I. The products were analysed by agarose gel electrophoresis followed by ethidium bromide staining. The number of bands that will be visible in the gel when exposed to UV light

is _

