151. Three types of muscles are given as a, b, and c. Identify the correct matching pair along with their location in the human body:



Name of muscle/location

- (1) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart
- (2) (a) Skeletal Biceps
 - (b) Involuntary Intestine
 - (c) Smooth Heart
- (3) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart
- (4) (a) Smooth Toes
 - (b) Skeletal Legs
 - (c) Cardiac Heart

152. Following are the stages of the pathway for conduction of an action potential

through the heart: A. AV bundle B. Purkinje fibres C. AV node D. Bundle branches

E. SA node Choose the correct sequence of the pathway from the options given below:

- (1) A-E-C-B-D
- (2) B-D-E-C-A
- (3) E-A-D-B-C
- (4) E-C-A-D-B

153. Which one of the following factors will not affect the Hardy-Weinberg

equilibrium?

- (1) Genetic drift
- (2) Gene migration
- (3) Constant gene pool
- (4) Genetic recombination

154. Which of the following statements is incorrect?

- (1) Most commonly used bio-reactors are of stirring type
- (2) Bio-reactors are used to produce small-scale bacterial cultures
- (3) Bio-reactors have an agitator system, an oxygen delivery system, and foam control system
- (4) A bio-reactor provides optimal growth conditions for achieving the desired product

155. Which one is the correct product of DNA-dependent RNA polymerase to the given

template? 3'TACATGGCAAATATCCATTCA5'

- (1) 5'AUGUAAAGUUUAUAGGUAAGU3'
- (2) 5'AUGUACCGUUUAUAGGGAAGU3'
- (3) 5'ATGTACCGTTTATAGGTAAGT3'
- (4) 5'AUGUACCGUUUAUAGGUAAGU3'

156. Match List I with List II

A. α –I antitrypsin	I. Cotton bollworm
B. Cry IAb	IV. Corn borer
C. Cry IAc	I. Cotton bollworm
D. Enzyme replacement therapy	II. ADA deficiency

(1) A-III, B-I, C-II, D-IV

- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-II, B-I, C-IV, D-III

157. Which of the following are Autoimmune disorders?

- A. Myasthenia gravis
- B. Rheumatoid arthritis
- C. Gout
- D. Muscular dystrophy
- E. Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

- (1) A, B E only
- (2) B, C E only
- (3) C, D E only
- (4) A, B D only

158. Match List I with List II:

	List I		List II
Α.	Down's syndrome	1.	11 th chromosome
B.	α -Thalassemia	II.	'X' chromosome
C.	β-Thalassemia	III.	21 st chromosome
D.	Klinefelter's syndrome	IV.	16 th chromosome

Choose the correct answer from the options given below:

(1) A-II, B-III, C-IV, D-I
(2) A-III, B-IV, C-I, D-II
(3) A-IV, B-I, C-II, D-III
(4) A-I, B-II, C-III, D-IV

159. Given below are two statements:

Statement I: In the nephron, the descending limb of the loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

160. Match List I with List II:

	List I		List II
Α.	Pons	I.	Provides additional space for Neurons, regulates posture and balance.
В.	Hypothalamus	П.	Controls respiration and gastric secretions.
С.	Medulla	III.	Connects different regions of the brain.
D.	Cerebellum	IV.	Neuro secretory cells

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-II, B-III, C-I, D-IV

161. Match List I with List II:

	- *	
_13	эι	

^	Avenence
Α.	Axoneme

- В. Cartwheel pattern
- C. Crista
- D. Satellite

List II

- Centriole Ι. Cilia and flagella II.
- III. Chromosome
- IV. Mitochondria

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-IV, B-III, C-II, D-I

162. Match List I with List II: LietI

	List I		List II
Α.	Fibrous joints	Ι.	Adjacent vertebrae, limited movement
В.	Cartilaginous joints	П.	Humerus and Pectoral girdle, rotational movement
С.	Hinge joints	III.	Skull, don't allow any movement
D.	Ball and socket joints	IV.	Knee, help in locomotion

Choose the correct answer from the options given below:

(1) A-I, B-III, C-II, D-IV

(2) A-II, B-III, C-I, D-IV

- (3) A-III, B-I, C-IV, D-II
- (4) A-IV, B-II, C-III, D-I

163. Match List I with List II:					
	List I		List		
Α.	Pterophyllum	I.	Hag		

- Saw fish П. Β. Myxine С. Pristis Angel fish III.
- D. Exocoetus IV.

Choose the correct answer from the options given below:

(1) A-III, B-I, C-II, D-IV

- (2) A-IV, B-I, C-II, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-II, B-I, C-III, D-IV

- t II
- g fish
- Flying fish

164. Following are the stages of cell division:

- A. Gap 2 phase
- B. Cytokinesis
- C. Synthesis phase
- D. Karyokinesis
- E. Gap 1 phase Choose the correct sequence of stages from the options given below:
- (1) E-B-D-A-C
- (2) B-D-E-A-C
- (3) E-C-A-D-B
- (4) C-E-D-A-B

165. Match List I with List II

	List I		List II
Α.	Non-medicated IUD	Ι.	Multiload 375
В.	Copper releasing IUD	II.	Progestogens
C.	Hormone releasing IUD	III.	Lippes loop
D.	Implants	IV.	LNG-20

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-IV, D-II
- (2) A-IV, B-I, C-II, D-III
- (3) A-III, B-I, C-IV, D-II
- (4) A-III, B-I, C-II, D-IV

166. Match List I with List II:

	List-I		List-II
Α.	Lipase	I.	Peptide bond
В.	Nuclease	II.	Ester bond
C.	Protease	III.	Glycosidic bond
D.	Amylase	IV.	Phosphodiester bond

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-I, C-III, D-II
- (4) A-IV, B-II, C-III, D-I

167. Match List I with List II:

	List I		List II
Α.	Expiratory capacity	I.	Expiratory reserve volume + Tidal volume + Inspiratory reserve volume
В.	Functional residual capacity	II.	Tidal volume + Expiratory reserve volume
C.	Vital capacity	III.	Tidal volume + Inspiratory reserve volume
D.	Inspiratory capacity	IV.	Expiratory reserve volume + Residual volume

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-I, C-IV, D-III
- (3) A-I, B-III, C-II, D-IV
- (4) A-II, B-IV, C-I, D-III

168. Match List I with List II:

List I

t II: List II

- A. CocaineB. HeroinI. Effective sedative in surgeryII. Cannabis sativa
- C. Morphine III. Erythroxylum
- D. Marijuana IV. Papaver somniferum

- (1) A-I, B-III, C-II, D-IV
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-III, C-I, D-II

169. The flippers of the Penguins and Dolphins are the example of:

- (1) Natural selection
- (2) Convergent evolution
- (3) Divergent evolution
- (4) Adaptive radiation

170. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during the initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the newborn baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both A and R are correct but R is NOT the correct explanation of A
- (2) A is correct but R is not correct
- (3) A is not correct but R is correct
- (4) Both A and R are correct and R is the correct explanation of A

171. Which of the following is not a component of the Fallopian tube?

- (1) Isthmus
- (2) Infundibulum
- (3) Ampulla
- (4) Uterine fundus

172. Match List I with List II:

	List I		List II
Α.	Typhoid	I.	Fungus
В.	Leishmaniasis	П.	Nematode
C.	Ringworm	III.	Protozoa
D.	Filariasis	IV.	Bacteria

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-IV, C-III, D-I
- (4) A-I, B-III, C-II, D-IV

173. Match List I with List II:

	List I List II		11
Α.	Common cold	I.	Plasmodium
В.	Haemozoin	П.	Typhoid
C.	Widal test	Ш.	Rhinoviruses
D.	Allergy	łV	Dust mites

Choose the correct answer from the options given below:

- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-IV, C-III, D-I

174. Given below are some stages of human evolution. Arrange them in correct

sequence. (Past to Recent) A. Homo habilis

- B. Homo sapiens
- C. Homo neanderthalensis

D. Homo erectus Choose the correct sequence of human evolution from the options given below:

- (1) B-A-D-C
- (2) C-B-D-A
- (3) A-D-C-B
- (4) D-A-C-B

175. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

176. Which of the following is not a steroid hormone?

- (1) Testosterone
- (2) Progesterone
- (3) Glucagon
- (4) Cortisol

177. Consider the following statements:

- A. Annelids are true coelomates.
- B. Poriferans are pseudocoelomates.
- C. Aschelminthes are acoelomates.
- D. Platyhelminthes are pseudocoelomates.

Choose the correct answer from the options given below:

- (1) A only
- (2) C only
- (3) D only
- (4) B only

178. Match List I with List II:

	List I		List II
	(Sub Phases of Prophase I)		(Specific Characters)
Α.	Diakinesis	I.	Synaptonemal complex formation
В.	Pachytene	II.	Completion of terminalisation of chiasmata
C.	Zygotene	III.	Chromosomes look like thin threads
D.	Leptotene	IV.	Appearance of recombination nodules

- (1) A-I, B-II, C-IV, D-III
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I

179. Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

- (1) High pO2 and Lesser H+ concentration
- (2) Low pCO2 and High H+ concentration
- (3) Low pCO2 and High temperature
- (4) High pO2 and High pCO2

180. In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on:

- (1) 10th segment
- (2) 8th and 9th segment
- (3) 11th segment
- (4) 5th segment

181. Match List I with List II:

	List I		List II
Α.	Pleurobrachia	I.	Mollusca
В.	Radula	II.	Ctenophora
С.	Stomochord	III.	Osteichthyes
D.	Air bladder	IV.	Hemichordata

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I

182. The "Ti plasmid" of Agrobacterium tumefaciens stands for:

- (1) Tumor independent plasmid
- (2) Tumor inducing plasmid
- (3) Temperature independent plasmid
- (4) Tumor inhibiting plasmid

183. Given below are two statements: One is labelled as Assertion A and the other is

labelled as Reason R:

Assertion A: The presence or absence of hymen is not a reliable indicator of virginity.

Reason R: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

184. The following diagram shows restriction sites in E. coli cloning vector pBR322. Find the role of 'X' and 'Y' genes:



(1) The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.

(2) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.

(3) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.

(4) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.

185. Which of the following is not a natural/traditional contraceptive method?

- (1) Periodic abstinence
- (2) Lactational amenorrhea
- (3) Vaults
- (4) Coitus interruptus

186. Match List I with List II:

	List I		List II
А.	Exophthalmic goiter	I.	Excess secretion of cortisol, moon face & hypergylcemia.
В.	Acromegaly	II.	Hypo-secretion of thyroid hormone and stunted growth.
C.	Cushing's syndrome	111.	Hyper secretion of thyroid hormone & protruding eye balls.
D.	Cretinism	IV.	Excessive secretion of growth hormone.

- (1) A-IV, B-II, C-I, D-III
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-I, B-III, C-II, D-IV

187. Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



- (1) ICSH, Interstitial cells, Leydig cells, spermiogenesis.
- (2) FSH, Sertoli cells, Leydig cells, spermatogenesis.
- (3) ICSH, Leydig cells, Sertoli cells, spermatogenesis.
- (4) FSH, Leydig cells, Sertoli cells, spermiogenesis.

188. Given below are two statements:

Statement I: Mitochondria and chloroplasts both are double-membrane bound organelles. Statement II: Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

189. Given below are two statements:

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

(1) Both Statement I and Statement II are false.

(2) Statement I is true but Statement II is false.

- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

190. Regarding catalytic cycle of an enzyme action, select the correct sequential steps:

- A. Substrate-enzyme complex formation.
- B. Free enzyme ready to bind with another substrate.
- C. Release of products.
- D. Chemical bonds of the substrate broken.
- E. Substrate binding to active site.

Choose the correct answer from the options given below:

- (1) A, E, B, D, C
- (2) B, A, C, D, E
- (3) E, D, C, B, A
- (4) E, A, D, C, B

	List I		List II
Α.	P wave	I.	Heart muscles are electrically silent.
B.	QRS complex	II.	Depolarisation of ventricles.
C.	T wave	III.	Depolarisation of atria.
D.	T-P gap	IV.	Repolarisation of ventricles.

191. Match List I with List II:

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-IV, B-II, C-I, D-III
- (4) A-I, B-III, C-IV, D-II

192. Match List I with List II:

	List I			List II
А.	RNA polymerase III		Ι.	snRNPs
В.	Termination transcription	of	11.	Promotor
C.	Splicing of Exons		111.	Rho factor
D.	TATA box		IV.	SnRNAs, tRNA

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-III, C-I, D-II
- (4) A-II, B-IV, C-I, D-III

193. Given below are two statements:

Statement I: The cerebral hemispheres are connected by a nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

194. Match List I with List II related to digestive system of cockroach:

	List I		List II
Α.	The structures used for storing of food	Т.	Gizzard
В.	Ring of 6-8 blind tubules at junction of foregut and midgut.	II.	Gastric Caeca
C.	Ring of 100-150 yellow coloured thin filaments at junction of midgut and hindgut.	III.	Malpighian tubules
D.	The structures used for grinding the food.	IV.	Crop

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-III, D-I

195. Match List I with List II:

	List I		List II
Α.	Mesozoic Era	l.	Lower invertebrates
В.	Proterozoic Era	II.	Fish & Amphibia
C.	Cenozoic Era	III.	Birds & Reptiles
D.	Paleozoic Era	IV.	Mammals

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-III, D-IV

196. Given below are two statements: Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced. Statement II: Both bone marrow and thymus provide microenvironments for the development and maturation of T-lymphocytes. In the light of the above statements, choose the most appropriate answer

from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

197. Match List I with List II:

	List I			List II
Α.	Unicellular epithelium	glandular	l.	Salivary glands
В.	Compound epit	helium	II.	Pancreas
C.	Multicellular epithelium	glandular	III.	Goblet cells of alimentary canal
D.	Endocrine epithelium	glandular	IV.	Moist surface of buccal cavity

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-I, C-IV, D-III
- (4) A-II, B-I, C-III, D-IV

198. Choose the correct statement given below regarding juxta medullary nephron:

- (1) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.
- (2) Loop of Henle of juxta medullary nephron runs deep into medulla.
- (3) Juxta medullary nephrons outnumber the cortical nephrons.
- (4) Juxta medullary nephrons are located in the columns of Bertini.

199. As per ABO blood grouping system, the blood group of father is B+, mother is A+ and child is O+. Their respective genotype can be:

- A. I^Bi/I^Ai/ii B. I^BI^B/I^AI^A/ii
- C. I^AI^B/I^A/I^Bi D. I^Ai/I^Bi/I^Ai
- E. il^B/il^A/l^Al^B

- (1) B only
- (2) C & B only
- (3) D & E only
- (4) A only

200. The following are the statements about non-chordates:

- A. Pharynx is perforated by gill slits.
- B. Notochord is absent.
- C. Central nervous system is dorsal.
- D. Heart is dorsal if present.
- E. Post anal tail is absent.
- Choose the most appropriate answer from the options given below:
- (1) A, B & D only
- (2) B, D & E only
- (3) B, C & D only
- (4) A & C only