

ZOOLOGY

SECTION-A

151. Match List I with List II:

List I List II

- A. α –I antitrypsin I. Cotton bollworm
- B. Cry IAb II. ADA deficiency
- C. Cry IAc III. Emphysema
- D Enzyme replacement therapy IV Corn borer

Choose the correct answer form the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-II, D-IV

Answer (1)

152. Given below are two statements:

Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (1)

153. Match List I with List II:

| | List I | | List II |
|----|--------------|------|-------------|
| A. | Pterophyllum | I. | Hag fish |
| B. | Myxine | II. | Saw fish |
| C. | Pristis | III. | Angel fish |
| D. | Exocoetus | IV. | Flying fish |
| | | | |

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV



Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R: 154.

Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A

Answer (2)

- 155. Which of the following is not a component of Fallopian tube?
 - (1) Infundibulum
 - (2) Ampulla
 - (3) Uterine fundus
 - (4) Isthmus

Answer (3)

- edical III. JEE Foundations 156. Which of the following is not a natural/traditional contraceptive method?
 - (1) Lactational amenorrhea
 - (2) Vaults
 - (3) Coitus interruptus
 - (4) Periodic abstinence

Answer (2)

157. Match List I with List II:

| | List I | | List II |
|----|---------------|------|----------|
| A. | Typhoid | l. | Fungus |
| B. | Leishmaniasis | II. | Nematode |
| C. | Ringworm | III. | Protozoa |
| D. | Filariasis | IV. | Bacteria |

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-III, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-III, C-I, D-II



158. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is correct but R is not correct
- (2) A is not correct but R is correct
- (3) Both A and R are correct and R is the correct explanation of A
- (4) Both A and R are correct but R is NOT the correct explanation of A

Answer (3)

- Which one of the following factors will not affect the Hardy-Weinberg equilibrium? 159.
 - (1) Gene migration

(2) Constant gene pool

(3) Genetic recombination


Genetic drift

Answer (2)

- 160. Which of the following statements is incorrect?
 - (1) Bio-reactors are used to produce small scale bacterial cultures
 - (2) Bio-reactors have an agitator system, an oxygen delivery system and foam control system
 - (3) A bio-reactor provides optimal growth conditions for achieving the desired product
 - (4) Most commonly used bio-reactors are of stirring type

Answer (1)

Medical III. IEE Foun Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in 161. human body:



Name of muscle/location

- (1) (a) Skeletal Biceps
 - (b) Involuntary Intestine
 - (c) Smooth Heart
- (2) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart
- (3) (a) Smooth Toes
 - (b) Skeletal Legs
 - (c) Cardiac Heart
- (4) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart



Match List I with List II: 162.

List I List II

A. Cocaine I. Effective sedative in surgery

В. Heroin Cannabis sativa II.

C. Morphine III. Erythroxylum

D. Marijuana IV. Papaver somniferum

Choose the correct answer from the options given below:

(1) A-II, B-I, C-III, D-IV

(2) A-III, B-IV, C-I, D-II

(3) A-IV, B-III, C-I, D-II

(4) A-I, B-III, C-II, D-IV

Answer (2)

Match List I with List II: 163.

| | List I | | List II | |
|----|--------------|------|---|--|
| A. | Pons | I. | Provides additional space for Neurons, regulates posture and balance. | |
| B. | Hypothalamus | II. | Controls respiration and gastric secretions. | |
| C. | Medulla | III. | Connects different regions of the brain. | |
| D. | Cerebellum | IV. | Neuro secretory cells | |

Choose the correct answer from the options given below : MedicallIT

(1) A-I, B-III, C-II, D-IV

(2) A-II, B-I, C-III, D-IV

(3) A-II, B-III, C-I, D-IV

(4) A-III, B-IV, C-II, D-I

Answer (4)

164. Which of the following are Autoimmune disorders?

A. Myasthenia gravis

B. Rheumatoid arthritis

C. Gout

D. Muscular dystrophy

E. Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

(1) B, C & E only

(2) C, D & E only

(3) A, B & D only

(4) A, B & E only



- The "Ti plasmid" of Agrobacterium tumefaciens stands for 165.
 - (1) Tumor inducing plasmid
 - (2) Temperature independent plasmid
 - (3) Tumour inhibiting plasmid
 - (4) Tumor independent plasmid

Answer (1)

166. Match List I with List II:

| | List I | | List II |
|----|----------------------------|------|--|
| | (Sub Phases of Prophase I) | | (Specific Characters) |
| A. | Diakinesis | I. | Synaptonemal complex formation |
| B. | Pachytene | II. | Completion of terminalisation of chiasmata |
| C. | Zygotene | III. | Chromosomes look like thin threads |
| D. | Leptotene | IV. | Appearance of recombination nodules |

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-I, B-II, C-IV, D-III

Answer (1)

Match List I with List II 167.

| | | 1000 | | | | | |
|------|--|------|---------------|--|--|--|--|
| Cho | Choose the correct answer from the options given below | | | | | | |
| (1) | A-II, B-IV, C-I, D-III | | | | | | |
| (2) | A-IV, B-III, C-II, D-I | | | | | | |
| (3) | A-IV, B-II, C-III, D-I | | indae | | | | |
| (4) | A-I, B-II, C-IV, D-III | | Four | | | | |
| Ans | wer (1) | 7. | TEE | | | | |
| Mate | ch List I with List II | | | | | | |
| | List I | dic | List II | | | | |
| A. | Non-medicated IUD | I. | Multiload 375 | | | | |
| B. | Copper releasing IUD | II. | Progestogens | | | | |
| C. | Hormone releasing IUD | III. | Lippes loop | | | | |
| D. | Implants | IV. | LNG-20 | | | | |

Choose the correct answer from the option given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-I, C-II, D-IV
- (4) A-I, B-III, C-IV, D-II

Answer (2)



- 168. Consider the following statements:
 - A. Annelids are true coelomates
 - B. Poriferans are pseudocoelomates
 - C. Aschelminthes are acoelomates
 - D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the options given below:

(1) C only

(2) D only

(3) B only

(4) A only

Answer (4)

- 169. Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?
 - (1) Low pCO2 and High H+ concentration
 - (2) Low pCO₂ and High temperature
 - (3) High pO₂ and High pCO₂
 - (4) High pO₂ and Lesser H⁺ concentration

Answer (4)

170. Match List I with List II:

List I List II

- A. Fibrous joints I. Adjacent vertebrae, limited movement
- B. Cartilaginous joints II. Humerus and Pectoral girdle, rotational movement
- C. Hinge joints III. Skull, don't allow any movement
- D. Ball and socket joints IV. Knee, help in locomotion

Choose the correct answer from the options given below:

(1) A-II, B-III, C-I, D-IV

(2) A-III, B-I, C-IV, D-II

(3) A-IV, B-II, C-III, D-I

(4) A-I, B-III, C-II, D-IV

Answer (2)

171. Match List I with List II:

| | List-I | | List-II |
|----|----------|------|---------------------|
| A. | Lipase | I. | Peptide bond |
| B. | Nuclease | II. | Ester bond |
| C. | Protease | III. | Glycosidic bond |
| D. | Amylase | IV. | Phosphodiester bond |

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-I, C-III, D-II
- (3) A-IV, B-II, C-III, D-I
- (4) A-III, B-II, C-I, D-IV

Answer (1)

Match List I with List II:

| | List I | | List II |
|----|------------------------|------|-----------------------------|
| A. | Down's syndrome | I. | 11 th chromosome |
| B. | α-Thalassemia | II. | 'X' chromosome |
| C. | β-Thalassemia | III. | 21st chromosome |
| D. | Klinefelter's syndrome | IV. | 16 th chromosome |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-III, C-IV, D-I

Answer (1)

173. Given below are some stages of human evolution.

Arrange them in correct sequence. (Past to Recent)

- Α. Homo habilis
- B. Homo sapiens
- C. Homo neanderthalensis
- D. Homo erectus

options (Choose the correct sequence of human evolution from the options given below:

- (1) C-B-D-A
- (2) A-D-C-B
- (3) D-A-C-B
- (4) B-A-D-C

Answer (2)

174. Match List I with List II:

| | List I | | List II |
|----|---------------|------|--------------|
| A. | Pleurobrachia | I. | Mollusca |
| B. | Radula | II. | Ctenophora |
| C. | Stomochord | III. | Osteichthyes |
| D. | Air bladder | IV. | Hemichordata |

Choose the correct answer from the options given below:


- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-I, C-IV, D-III



- 175. The flippers of the Penguins and Dolphins are the example of the
 - (1) Convergent evolution
 - (2) Divergent evolution
 - (3) Adaptive radiation
 - (4) Natural selection

Answer (1)

176. The following diagram showing restriction sites in *E. coli* cloning vector pBR322. Find the role of 'X' and 'Y' genes:



- (1) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
- (2) Gene 'X' is responsible for recognitions sites and 'Y' is responsible for antibiotic resistance.
- (3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
- (4) The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.

Answer (4)

- 177. Following are the stages of cell division:
 - A. Gap 2 phase
 - B. Cytokinesis
 - C. Synthesis phase
 - D. Karyokinesis
 - E. Gap 1 phase

Choose the correct sequence of stages from the options given below:

- (1) B-D-E-A-C
- (2) E-C-A-D-B
- (3) C-E-D-A-B
- (4) E-B-D-A-C

Answer (2)



Match List I with List II: 178.

List I

- A. Common cold
- B. Haemozoin
- C. Widal test
- D. Allergy

List II

- I. Plasmodium
- II. **Typhoid**
- III. Rhinoviruses
- IV. Dust mites

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-IV, B-II, C-III, D-I
- (3) A-II, B-IV, C-III, D-I
- (4) A-I, B-III, C-II, D-IV

Answer (1)

- 179. In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on
 - (1) 8th and 9th segment
 - (2) 11th segment
 - (3) 5th segment
 - (4) 10th segment

Answer (4)

Match List I with List II: 180.

List I

- A. Axoneme
- B. Cartwheel pattern
- C. Crista
- Satellite D.

- List II Undations Centriole
- Cilia and flagella
- III. Chromosome
- IV. Mitochondria

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I

Answer (2)

- 181. Which of the following is not a steroid hormone?
 - (1) Progesterone
 - (2) Glucagon
 - (3) Cortisol
 - (4) Testosterone

Answer (2)



182. Given below are two statements:

Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the option given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (4)

- 183. Which one is the correct product of DNA dependent RNA polymerase to the given template? 3'TACATGGCAAATATCCATTCA5'
 - (1) 5'AUGUACCGUUUAUAGGGAAGU3'
 - (2) 5'ATGTACCGTTTATAGGTAAGT3'
 - (3) 5'AUGUACCGUUUAUAGGUAAGU3'
 - (4) 5'AUGUAAAGUUUAUAGGUAAGU3'

Answer (3)

184. Match List I with List II:

| | List I | | List II | |
|----|------------------------------|------|---|--|
| A. | Expiratory capacity | I. | Expiratory reserve volume + Tidal volume + Inspiratory reserve volume | |
| B. | Functional residual capacity | II. | Tidal volume + Expiratory reserve volume | |
| C. | Vital capacity | III. | Tidal volume + Inspiratory reserve volume | |
| D. | Inspiratory capacity | IV. | Expiratory reserve volume + Residual volume | |

Choose the correct answer from the options given below:

(1) A-II, B-I, C-IV, D-III

(2) A-I, B-III, C-II, D-IV

-)

(3) A-II, B-IV, C-I, D-III

(4) A-III, B-II, C-IV, D-I

Answer (3)

- 185. Following are the stages of pathway for conduction of an action potential through the heart
 - A. AV bundle

B. Purkinje fibres

C. AV node

D. Bundle branches

E. SA node

Choose the correct sequence of pathway from the options given below

(1) B-D-E-C-A

(2) E-A-D-B-C

(3) E-C-A-D-B

(4) A-E-C-B-D

Answer (3)



SECTION-B

186. Match List I with List II:


| | List I | | List II |
|----|------------------------------------|-----------|----------------------------------|
| A. | Unicellular glandu epithelium | ılar I. | Salivary glands |
| В. | Compound epithelium | II. | Pancreas |
| C. | Multicellular glandu epithelium | ılar III. | Goblet cells of alimentary canal |
| D. | Endocrine glandu epithelium | ılar IV. | Moist surface of buccal cavity |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-III, C-I, D-II

Answer (1)

Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis. Foundation 187.



- (1) FSH, Sertoli cells, Leydig cells, spermatogenesis.
- (2) ICSH, Leydig cells, Sertoli cells, spermatogenesis.
- (3) FSH, Leydig cells, Sertoli cells, spermiogenesis.
- (4) ICSH, Interstitial cells, Leydig cells, spermiogenesis.

Answer (3)

- 188. Regarding catalytic cycle of an enzyme action, select the correct sequential steps:
 - A. Substrate enzyme complex formation.
 - B. Free enzyme ready to bind with another substrate.
 - C. Release of products.
 - D. Chemical bonds of the substrate broken.
 - E. Substrate binding to active site.



Choose the correct answer from the options given below:

- (1) B, A, C, D, E
- (2) E, D, C, B, A
- (3) E, A, D, C, B
- (4) A, E, B, D, C

Answer (3)

189. Match List I with List II:

| | List I | | List II |
|----|-------------|------|--|
| Α. | P wave | I. | Heart muscles are electrically silent. |
| B. | QRS complex | II. | Depolarisation of ventricles. |
| C. | T wave | III. | Depolarisation of atria. |
| D. | T-P gap | IV. | Repolarisation of ventricles. |

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-IV, B-II, C-I, D-III
- (3) A-I, B-III, C-IV, D-II
- (4) A-III, B-II, C-IV, D-I

Answer (4)

190. Given below are two statements:

Statement I: Mitochondria and chloroplasts both double membranes bound organelles.

Statement II: Inner membrane of mitochondria is relatively less permeable, as compared chloroplast.

In the light of the above statements, choose the mis appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

Answer (1)

191. Match List I with List II:

| | List I | | List II |
|----|------------------------------|------|--------------|
| A. | RNA polymerase III | I. | snRNPs |
| В. | Termination of transcription | II. | Promotor |
| C. | Splicing of Exons | III. | Rho factor |
| D. | TATA box | IV. | SnRNAs, tRNA |



Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-I, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I

Answer (2)

192. Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

Answer (1)

193. Given below are two statements:

Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

Answer (3)

194. Match List I with List II related to digestive system of cockroach.

| | List I | | List II |
|----|---|-----|--------------------|
| A. | The structures used for storing of food | I. | Gizzard |
| B. | Ring of 6-8 blind tubules at junction of foregut and midgut. | II. | Gastric Caeca |
| C. | Ring of 100-150 yellow coloured thin filaments at junction of midgut and hindgut. | | Malpighian tubules |
| D. | The structures used for grinding the food. | IV. | Crop |

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-I, B-II, C-III, D-IV

Answer (3)



195. Given below are two statements:

> Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

> Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (2)

- 196. Choose the correct statement given below regarding juxta medullary nephron.
 - (1) Loop of Henle of juxta medullary nephron runs deep into medulla.
 - (2) Juxta medullary nephrons outnumber the cortical nephrons.
 - (3) Juxta medullary nephrons are located in the columns of Bertini.
 - (4) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.

Answer (1)

- T-JEE Foundations The following are the statements about non-chordates: 197.
 - A. Pharynx is perforated by gill slits.
 - B. Notochord is absent.
 - C. Central nervous system is dorsal.
 - D. Heart is dorsal if present.
 - E. Post anal tail is absent.

Choose the most appropriate answer from the options given below:

- (1) B, D & E only
- (2) B, C & D only
- (3) A & C only
- (4) A, B & D only

Answer (1)

198. Match List I with List II:

| | List I | | List II |
|----|-----------------|------|---------------------|
| A. | Mesozoic Era | I. | Lower invertebrates |
| В. | Proterozoic Era | II. | Fish & Amphibia |
| C. | Cenozoic Era | III. | Birds & Reptiles |
| D. | Paleozoic Era | IV. | Mammals |



Choose the correct answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

Answer (2)

199. Match List I with List II:

| | List I | | List II | | | |
|----------------------------|-----------------------------|----------|--|--|--|--|
| A. | Exophthalmic goiter | I. | Excess secretion of cortisol, moon face & hypergylcemia. | | | |
| B. | Acromegaly | II. | Hypo-secretion of thyroid hormone and stunted growth. | | | |
| C. | Cushing's syndrome | III. | Hyper secretion of thyroid hormone & protruding eye balls. | | | |
| D. | Cretinism | IV. | Excessive secretion of growth hormone. | | | |
| Choos | e the correct answer from t | he optio | ns given below : | | | |
| (1) A-III, B-IV, C-II, D-I | | | | | | |
| (2) A-III, B-IV, C-I, D-II | | | | | | |
| (3) A-I, B-III, C-II, D-IV | | | | | | |
| (4) A-IV, B-II, C-I, D-III | | | | | | |
| Answer (2) | | | | | | |
| As per | ABO blood grouping syst | em, the | blood group of father is B+, mother is | | | |

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-II, C-I, D-III

Answer (2)

(3) A only (4) B only Answer (3)

| | | 10,00 | | |
|------|-----|---|--------|--|
| 200. | | per ABO blood grouping system, the blood group pective genotype can be | p of | father is B+, mother is A+ and child is O+. Their |
| | A. | l ^B i/l ^A i/ii | B. | IBIB/IAIA/ii |
| | C. | A B/i A/ Bi | D. | I ^A i/I ^B i/I ^A i |
| | E. | il ^B /il ^A /l ^A l ^B | | |
| | Cho | pose the most appropriate answer from the option | s give | en below : |
| | (1) | C & B only | | |
| | (2) | D & E only | | |