CUET 2025 Physics Memory Based Questions

Binding Energy:

- 1. The binding energy per nucleon initially increases and then decreases with mass number because:
- (1) The force of attraction between nucleons increases initially and then decreases.
- (2) The strong nuclear force between nucleons increases with mass number.
- (3) The size of the nucleus increases with mass number, leading to decreased binding energy per nucleon.
- (4) The weak nuclear force has no significant effect on the binding energy.

- 2. Energy is released in both nuclear fission and fusion because:
- (1) The total mass before and after the reaction remains the same.
- (2) The mass of the products is less than the mass of the reactants.
- (3) Energy is not related to mass change.
- (4) Both reactions involve a change in atomic number.

3. Calculate the binding energy of a helium nucleus [4/2(He)].

Given:Mass of helium nucleus = 4.0026 u,

Mass of proton = 1.0073 u, neutron = 1.0087 u, 1 u=931.5MeV

(1) 28.2 MeV

6. A particle of mass 2 kg moves at 3 m/s. Its kinetic energy is:

(2) 18 J
(3) 12 J
(4) 6 J
Wavelength:
7: When light enters a different medium, its wavelength changes because:
(1) The frequency of the light changes.
(2) The speed of light changes in the new medium.
(3) The energy of the light changes.
(4) The color of the light changes.
8: Smaller wavelengths in light result in:
(1) Lower energy and lower frequency.(2) Higher energy and higher frequency.
(3) Lower energy and higher frequency.
(4) Higher energy and lower frequency.